

Firmware: DD-WRT v3.0-r28211 mega (11/16/15)
Time: 23:40:28 up 6 min, load average: 0.43, 0.27, 0.12
WAN: Disabled

- Setup
 - Wireless
 - Services
 - Security
 - Access Restrictions
 - NAT / QoS
 - Administration
 - Status
- Basic Setup
 - IPV6
 - DDNS
 - MAC Address Clone
 - Advanced Routing
 - VLANs
 - Networking
 - EoIP Tunnel

VLAN Tagging

Help [more...](#)

Tagging

Add

Multi DHCPD:

To use multiple DHCPD, enable DNSMasq as a DHCP server.

Bridging

Create Bridge

| | | | | | | |
|------|------------------------------|------------------------------|-------|------|------------------|--------------------------|
| Name | STP | IGMP Snooping | Prio | MTU | Root MAC | <input type="checkbox"/> |
| br0 | <input type="checkbox"/> Off | <input type="checkbox"/> Off | 32768 | 1500 | 20:AA:4B:D6:9F:1 | |

Delete

Add

Assign to Bridge

Add

Current Bridging Table

| Bridge Name | STP enabled | Interface |
|-------------|-------------|------------------|
| br0 | no | vlan1 eth1 vlan2 |

Port Setup

Port Setup

WAN Port Assignment

Network Configuration eth0

Label

TX Queue Length

Bridge Assignment Unbridged Default

Network Configuration eth1

Label

TX Queue Length

Bridge Assignment Unbridged Default

Network Configuration vlan0

Label

TX Queue Length

Bridge Assignment Unbridged Default

Network Configuration vlan1

Label

TX Queue Length

Bridge Assignment Unbridged Default

Network Configuration vlan2

Label

TX Queue Length

Bridge Assignment Unbridged Default

DHCPD

Multiple DHCP Server

Firmware: DD-WRT v3.0-r28211 mega (11/16/15)
Time: 23:40:49 up 6 min, load average: 0.31, 0.25, 0.12
WAN: Disabled

- Setup
 - Wireless
 - Services
 - Security
 - Access Restrictions
 - NAT / QoS
 - Administration
 - Status
- Basic Setup
 - IPV6
 - DDNS
 - MAC Address Clone
 - Advanced Routing
 - VLANs
 - Networking
 - EoIP Tunnel

Virtual Local Area Network (VLAN)

[Help](#)

VLAN

| VLAN | Port | | | | | Assigned To Bridge |
|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------|
| | W | 1 | 2 | 3 | 4 | |
| 0 | <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | None |
| 1 | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | LAN |
| 2 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | LAN |
| 3 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 4 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 5 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 6 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 7 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 8 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 9 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 10 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 11 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 12 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 13 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 14 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| 15 | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | None |
| Tagged | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | |
| Auto-Negotiate | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Gigabit | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Full Speed | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Full Duplex | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Enabled | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | |
| Wireless | | | | | | LAN |
| Link Aggregation on Ports 3 & 4 | | | | | | No |

- Save
- Apply Settings
- Cancel Changes

Firmware: DD-WRT v3.0-r28211 mega (11/16/15)
 Time: 23:41:08 up 6 min, load average: 0.29, 0.25, 0.12
 WAN: Disabled

- [Setup](#) | [Wireless](#) | [Services](#) | [Security](#) | [Access Restrictions](#) | [NAT / QoS](#) | [Administration](#) | [Status](#)
- [Router](#) | [WAN](#) | [LAN](#) | [Wireless](#) | [Bandwidth](#) | [Sys-Info](#)

Router Information

System

| | |
|------------------|--|
| Router Name | E2500-CB |
| Router Model | Linksys E2500 |
| Firmware Version | DD-WRT v3.0-r28211 mega (11/16/15) |
| Kernel Version | Linux 3.10.93 #10212 Mon Nov 16 12:22:00 CET 2015 mips |
| MAC Address | <u>20:AA:4B:D6:9F:E4</u> |
| Hostname | |
| WAN Domain Name | |
| LAN Domain Name | mrjcd |
| Current Time | Wed, 18 Nov 2015 23:41:08 |
| Uptime | 6 min |

CPU

| | |
|-----------------|---|
| CPU Model | Broadcom BCM5357 chip rev 2 |
| CPU Cores | 1 |
| CPU Clock | 300 MHz |
| Load Average | 0.29, 0.25, 0.12 <input type="text" value="22%"/> |
| CPU Temperature | WL0 46.50 °C |

Memory

| | | |
|-----------------|---------------------|----------------------------------|
| Total Available | 58164 kB / 65536 kB | <input type="text" value="89%"/> |
| Free | 42148 kB / 58164 kB | <input type="text" value="72%"/> |
| Used | 16016 kB / 58164 kB | <input type="text" value="28%"/> |
| Buffers | 1844 kB / 16016 kB | <input type="text" value="12%"/> |
| Cached | 5392 kB / 16016 kB | <input type="text" value="34%"/> |
| Active | 4904 kB / 16016 kB | <input type="text" value="31%"/> |
| Inactive | 3748 kB / 16016 kB | <input type="text" value="23%"/> |

Space Usage

| | |
|-------|-------------------|
| NVRAM | 26.34 KB / 256 KB |
|-------|-------------------|

Help

[more...](#)

Router Name:

This is the specific name for the router, which you set on the *Setup* tab.

MAC Address:

This is the router's MAC Address, as seen by your ISP.

Firmware Version:

This is the router's current firmware.

Current Time:

This is time received from the ntp server set on the *Setup / Basic Setup* tab.

Uptime:

This is a measure of the time the router has been "up" and running.

Load Average:

This is given as three numbers that represent the system load during the last one, five, and fifteen minute periods.

CIFS *(Not mounted)*

Network

IP Filter Maximum Ports 4096

Active IP Connections 108



Auto-Refresh is On

Firmware: DD-WRT v3.0-r28211 mega (11/16/15)
Time: 23:41:33 up 7 min, load average: 0.19, 0.23, 0.12
WAN: Disabled

- Setup
- Wireless
- Services
- Security
- Access Restrictions
- NAT / QoS
- Administration
- Status

System Information

Router

| | |
|--------------|--------------------------|
| Router Name | E2500-CB |
| Router Model | Linksys E2500 |
| LAN MAC | <u>20:AA:4B:D6:9F:E5</u> |
| WAN MAC | <u>20:AA:4B:D6:9F:E4</u> |
| Wireless MAC | <u>20:AA:4B:D6:9F:E5</u> |
| WAN IPv4 | Disabled |
| LAN IP | 192.168.15.62 |

Services

| | |
|----------------|----------|
| DHCP Server | Disabled |
| Samba | Disabled |
| WRT-radauth | AP |
| CIFS Automount | Disabled |
| Sputnik Agent | Disabled |
| USB Support | Disabled |

Wireless

| | |
|----------|---------------|
| Radio | Radio is On |
| Mode | Client Bridge |
| Network | NG-Mixed |
| SSID | mrjcd WiFi |
| Channel | 5 + 3 |
| TX Power | 13 mW |
| Rate | 150 Mbps |

Memory

| | |
|-----------------|-------------------|
| Total Available | 56.8 MB / 64.0 MB |
| Free | 41.1 MB / 56.8 MB |
| Used | 15.7 MB / 56.8 MB |
| Buffers | 1.8 MB / 15.7 MB |
| Cached | 5.3 MB / 15.7 MB |
| Active | 4.8 MB / 15.7 MB |
| Inactive | 3.7 MB / 15.7 MB |

Wireless Packet Info

| | |
|------------------|-------------------|
| Received (RX) | 1600 OK, no error |
| Transmitted (TX) | 857 OK, no error |

Space Usage

| | |
|-------|----------------------|
| NVRAM | 26.34 KB / 256 KB |
| CIFS | <i>(Not mounted)</i> |

Wireless

Access Point

| | | | | | | | | | |
|-------------------|-----------|---------|---------|---------|------|--------|-------|-----|----------------|
| MAC Address | Interface | Uptime | TX Rate | RX Rate | Info | Signal | Noise | SNR | Signal Quality |
| xx:xx:xx:xx:A6:A0 | eth1 | 0:01:32 | 150M | 162M | HT40 | -32 | -83 | 51 | 76% |

Auto-Refresh is On

